

- The ideal pad for all those uncomfortable kneeling jobs.
- Reduces knee pain and lower back stress caused by regular kneeling.
- Lightweight to carry only 0.45kg per pad with carrier handle.
- Resistant to oils and chemicals.
- Manufactured from closed cell PVC/nitrile blend foam.

Product height: 25mm

Dimensions (m.)	Weight Kg	Packaging Dimensions (cm.)	Packaging Type	Packaging Volume (m.)	Packaging Quantity	Colour	Part Code
.53 x .36	1	52 x 34.5 x 2.5	Bagged	1	100	Black	KNEE-SAVER

Test Report

Type of Product:	NBR Foam
Sample Recieved:	29/11/2005
Testing Date:	06/12/2005

Conclusion:

The test results of Pb, Cd, Hg, Cr+6, PBB and PBDE for the submitted sample comply with the requirements of RoHS (2002/95/EC).

Test Item (s):	m (s): Unit Method		MDL	Result No.1	Limit of ROHS
Chromium VI (Cr+6)	ppm	UV-VIS after reference to US EPA 3060A.		N.D.	1000
Cadmium (Cd)	ppm	ICP-AES after reference to EN 1122, method B:2001 or other acid digestion.		N.D.	1000
Mercury (Hg)	ppm	n ICP-AES after reference to US EPA 3052 or other acid digestion.		N.D.	1000
Lead (Pb)	d (Pb) ppm ICP-AES after reference to US EPA 3050B or other acid digestion.		2	N.D.	1000

Continued on next page

The information contained within this datasheet is for guidance only. All dimensions quoted are nominal figures. Please note that some products may be subject to a degree of shrinkage when installed.

Note: (1) N.D. = Not detected (<MDL)

(2) ppm = mg/kg

- (3) MDL = Method Detection Limit
- (4) " " = Not Regulstion
- (6) Decabromodiphenyl ether (DecaBDE) in polymeric applications is Commission Decision of 13 Oct 2005 amending Directive 2002/95/EC under document 2006/717/EC.

(6) PBBEs=PBDEs=Polybrominated Diphenyl Ethers=PBDOs=PBBOs.

End of Document

The information contained within this datasheet is for guidance only. All dimensions quoted are nominal figures. Please note that some products may be subject to a degree of shrinkage when installed.